

e-STUDIO2505AC
e-STUDIO3005AC
e-STUDIO3505AC
e-STUDIO4505AC
e-STUDIO5005AC

Datasheet

- > Toshiba's state-of-the-art multifunctional A3 colour systems, with impressive features for outstanding document output at a speed of up to 50 ppm.
- > The tablet-like user interface not only makes the systems intuitive to use, it can also be customised according to individual preferences.
- > Designed for modern office environments, the e-STUDIO5005AC series is ready for mobile printing.

Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

It's important that an MFP is powerful, reliable, and efficient. Combine this with brilliant colours and you have even more ways to make your documents impactful.

Advanced Toshiba e-BRIDGE controller technology for high-quality document output in colour and mono-chrome with a resolution of up to 1,200 dpi x 1,200 dpi.

Mobile printing is important and Toshiba's new systems give you full flexibility to do so. All models can easily connect to mobile devices via AirPrint, Google Cloud Print, or the Mopria Print Service.



SPECIFICATIONS

General

Print & Copy Speed	25/30/35/45/50 ppm (A4) 15/16/18/22/25 ppm (A3)
Warm-up Time	Approx. 12 seconds from low power mode
Paper Size & Weight	Cassette 1: A5R-A3, 60-256 g/m ² Cassette 2: A5R-320 x 460 mm, 60-256 g/m ² Bypass: 100 x 148 mm - 320 x 460 mm, 52-280 g/m ² , banner paper (up to 305 x 1,200 mm, 90-163 g/m ²)
Paper Capacity	2 x 550 sheets (Cassettes), 1 x 100 sheets (Bypass) Maximum 3,200 sheets
Inner Output Tray	400-sheet capacity
Automatic Duplex	A5R-320 x 460 mm, 60-256 g/m ²
Controller Type	Toshiba e-BRIDGE
Control Panel	22.9 cm (9") Multi-Touch Colour Panel
Memory	Toshiba Secure HDD 320 GB ²⁾ , 4 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n), Bluetooth ¹⁾ , WiFi Direct ¹⁾
Dimensions & Weight	585 x 640 x 787 mm (W x D x H), ~ 75.5 kg
Starter Kit	Toner, drum, developer, waste toner box

Print

Resolution	600 x 600 dpi, 1,200 x 1,200 dpi (2 bit, PostScript driver only), 3,600 x 1,200 dpi with smoothing (PostScript driver only, monochrome)
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS and PostScript 3 compatible
Supported Systems	Windows 10/8/7/Vista/Server 2008 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.11, Linux/Unix, Citrix, Novell NetWare (NDPS), SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Print from USB, Hold print, Tandem printing

Scan

Resolution	Maximum 600 x 600 dpi
Scan Speed	Reversing Automatic Document Feeder ¹⁾ : up to 73 ipm (300 dpi) in colour and monochrome Dual Scan Document Feeder ¹⁾ : up to 240 ipm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, Searchable PDF ¹⁾ (and other formats like DOCX, XLSX, RTF, TXT) ¹⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ¹⁾ , OCR scan ¹⁾ , Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing
First Copy Output Time	Colour: Approx. 7.8/7.8/7.8/5.7/5.7 seconds Monochrome: Approx. 5.9/5.9/5.9/4.4/4.4 seconds
Zoom	25-400% (Platen), 25-200% (RADF/DSDF) ¹⁾
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax¹⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 10/8/7/Vista/Server 2008 (32/64 bit), Server 2012/Server 2008 R2 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ¹⁾ , Embedded Web Browser, Job Skip
Accounting & Security	Role Based Access, LDAP support, 1,000 depart- ment & 10,000 user codes, Card Reader ¹⁾ , Private Print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ¹⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ¹⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant ¹⁾ , Scan to Secure PDF



¹⁾ Optional

²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less.
Available capacity will also be less if software applications are pre-installed.

OPTIONS

REVERSING AUTOMATIC DOCUMENT FEEDER – MR-3031

100-sheet capacity, A5R-A3, 35-157 g/m²

DUAL SCAN DOCUMENT FEEDER – MR-4000

300-sheet capacity, A5R-A3, 35-209 g/m²

PAPER FEED PEDESTAL – KD-1058

550-sheet capacity (1 Cassette), A5R-320 x 460 mm, 60-256 g/m²

DRAWER MODULE – MY-1048

For Paper Feed Pedestal
550-sheet capacity (1 Cassette)
A5R-A3, 60-256 g/m²

ENVELOPE DRAWER – MY-1049 (can also be used for normal paper)

For Paper Feed Pedestal or 2nd cassette
Envelopes: 50-envelope capacity,
100 x 162 mm - 240 x 380 mm, 60-85 g/m²
Paper: 550-sheet capacity (1 Cassette),
A5R-A4R, 60-256 g/m²

LARGE CAPACITY FEEDER – KD-1059A4

2,000-sheet capacity, A4, 64-105 g/m²

INNER FINISHER – MJ-1042

2 trays, 600-sheet capacity
50-sheet multi-position stapling
A5R-A3, 64-105 g/m² (stapling mode)

MULTI-STAPLE FINISHER – MJ-1109

2 trays, 2,250-sheet capacity
50-sheet multi-position stapling
A5R-A3, 60-105 g/m² (stapling mode)

SADDLE-STITCH FINISHER – MJ-1110

2 trays, 3,250-sheet capacity
50-sheet multi-position stapling
5-sheet center folding
Saddle-stitched booklets of up to 60 pages
A5R-A3, 60-105 g/m² (stapling mode)

HOLE PUNCH UNIT – MJ-6011E/ MJ6011F, MJ-6105E/MJ-6105F

Available in 2 holes (E), 4 holes (F), 4 holes (S)

PLATEN COVER – KA-5005PC

DESK – MH-5005

JOB SEPARATOR – GE-1230

FAX BOARD – GD-1370EU

WIRELESS LAN / BLUETOOTH MODULE (incl. WiFi Direct) – GN-4020

e-BRIDGE ID-GATE – TWN3/4

HARD DISK DRIVE 320 GB²⁾ (FIPS 140-2 STANDARD) – GE-1230

ACCESSORY TRAY – GR-1250

PANEL TEN-KEY OPTION – GR-1260

WORK TRAY – KK-5005

DATA OVERWRITE ENABLER – GP-1070

IPsec ENABLER – GP-1080

HARDCOPY SECURITY PRINTING KIT – GP-1190A

EMBEDDED OCR ENABLER – GS-1080, GS-1085


MULTI STATION PRINT ENABLER – GS-1090, GS-1095

META SCAN ENABLER – GS-1010

UNICODE FONT ENABLER – GS-1007

ACCESSIBLE ARM – KK-2560

CONFIGURATION



About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage, and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

<https://www.toshibatec.eu>

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

